ADDITIONAL MATERIALS

Research Report 237

Early-Life Air Pollution Exposure Is Associated with the Infant Gut Microbiome and Fecal Metabolome in the First Two Years of Life

Tanya L. Alderete et al.

Supplemental File 10

The Additional Materials were reviewed by the HEI Review Committee. They have not been fully edited or formatted by HEI.

Correspondence may be addressed to Dr. Tanya L. Alderete, Johns Hopkins Bloomberg School of Public Health, 615 N. Wolfe Street, Baltimore, MD 21205; email: taldere1@jhu.edu.

Although this document was produced with partial funding by the United States Environmental Protection Agency under Assistance Award CR–83998101 to the Health Effects Institute, it has not been subjected to the Agency's peer and administrative review and may not necessarily reflect the views of the Agency; thus, no official endorsement by it should be inferred. It also has not been reviewed by private party institutions, including those that support the Health Effects Institute, and may not reflect the views or policies of these parties; thus, no endorsement by them should be inferred.


1. Enterococcus faecium
Enterococcus faecium counts
0
100000
200000
300000
400000
500000
600000
1
2
3
4
5
6
Cumulative NOx (ppb) − 6 Months


2. Clostridium perfringens
Clostridium perfringens counts
0
10000
20000
30000
1
2
3
4
5
6
Cumulative NOx (ppb) − 6 Months


3. Sellimonas intestinalis
Sellimonas intestinalis counts
0
50000
100000
150000
200000
250000
1
2
3
4
5
6
Cumulative NOx (ppb) − 6 Months


4. Faecalibacterium sp. I4−3−84
Faecalibacterium sp. I4−3−84 counts
0
10000
20000
30000
40000
50000
60000
1
2
3
4
5
6
Cumulative NOx (ppb) − 6 Months


5. Coprococcus comes
Coprococcus comes counts
0
50000
100000
150000
200000
1
2
3
4
5
6
Cumulative NOx (ppb) − 6 Months


6. Kluyvera ascorbata
Kluyvera ascorbata counts
0
5000
10000
15000
20000
1
2
3
4
5
6
Cumulative NOx (ppb) − 6 Months